

Table of Contents

Foreword	iv
Committee Members.....	iv
1.0 Introduction	1
2.0 Notes for tile material, accessories, and definitions.....	1
2.1 Exteriors	1
2.2 Interiors	1
2.3 Inspection	2
2.4 Tile accessories	2
2.5 Specifying organic adhesive	2
2.6 Specifying dry-set mortar	2
2.7 Specifying latex-portland cement mortar	2
2.8 Specifying EGP (exterior glue plywood) latex-portland cement mortar	2
2.9 Specifying tile-setting and -grouting epoxy and epoxy adhesive	2
2.10 Specifying chemical resistant furan mortars and grout	2
2.11 Specifying modified epoxy emulsion mortar and grout	3
2.12 Specifying grouts	3
2.13 Specifying cementitious backer units	3
2.14 Specifying waterproof membranes	3
2.15 Specifying crack isolation membranes	3
2.16 Specifying sound reduction membranes.....	3
2.17 Install and cure grout in accordance with appropriate ANSI Standard Specifications	3
2.18 Wet areas	3
3.0 Guide for referencing American National Standard specifications for installation of ceramic tile	4

A108 — Installation Standards

A108.01 General Requirements: Subsurfaces and Preparations by Other Trades — 2010 [Revised]

1.0 Introduction	6
2.0 General requirements for subsurfaces	6
2.1 General	6
2.2 Floor drains	6
2.3 Deflection	6
2.4 Backing surfaces	6
2.5 Backing materials for walls and ceilings	7
2.6 Backing materials for floors	8
2.7 Waterproofing	11
3.0 Related work specified in other sections	11
3.1 General	11
3.2 Requirements for concrete masonry: preparations by other trades	11
3.3 Requirements for lathing and portland cement plastering	12
3.4 Wood subfloors	14
3.5 Requirements for gypsum board: preparations by other trades	16
3.6 Requirements for plumbing: preparations by other trades	16
3.7 Requirements for movement joints: preparations by other trades	17
3.8 Damage to tilework	19
3.9 Maintenance	19

A108.02 General Requirements: Materials, Environmental, and Workmanship — 2010 [Revised]

1.0 Introduction	20
1.1 Standards	20
2.0 Delivery, storage, and handling of materials at project site	22
2.1 Samples	22
2.2 Environmental conditions and protection.....	22
3.0 Materials	22
3.1 Ceramic tile	22
3.2 Cement	23
3.3 Aggregate	23
3.4 Hydrated lime	23
3.5 Water	23
3.6 Metal lath (previously A-2.1.6).....	23
3.7 Reinforcing wire fabric (previously A-2.1.7)	23
3.8 Membrane or cleavage membrane (previously A-2.1.8).....	23
3.9 Organic adhesives.....	24
3.10 Dry-set portland cement mortar	24
3.11 Latex-portland cement mortars	24
3.12 Primers	24
3.13 Chemical resistant water cleanable tile-setting and -grouting epoxy	24
3.14 Water cleanable tile-setting epoxy adhesive.....	24
3.15 Chemical resistant furan resin mortar and grout	24
3.16 Ceramic tile grouts	24
3.17 Modified epoxy emulsion mortar and grout	24
3.18 Cementitious backer units.....	24
3.19 Divider strips	24
3.20 Thresholds	24
3.21 Proprietary and trademarked materials	25
4.0 General requirements for tile installations	25
4.1 Inspection of surfaces and conditions	25
4.2 Portland cement mortar bed as a backing when specified.....	26
4.3 Workmanship, cutting, fitting, and grout joint size	26
4.4 Movement joints	28
4.5 Cleaning tile	28

A108.1A Installation of Ceramic Tile in the Wet-Set Method, with Portland Cement Mortar — 2010 [Revised]

1.0 Application of metal lath and scratch-coat to walls and ceilings	29
1.1 Metal lath	29
1.2 Application of lath	29
1.3 Scratch and leveling coat mix for walls and ceilings	29
1.4 Application of scratch coat	29
2.0 Mortar mixes	30
2.1 Mortar for walls and ceilings	30
2.2 Mortar for floors	30
2.3 Mortar and special requirements for shower receptors	30
2.4 Mixing mortar	30
3.0 Bond coat mixes	30
3.1 Bond coat for walls, ceilings, floors and shower receptors	30
4.0 Spacing mix.....	31
5.0 Mortar application	31
5.1 Application of mortar to walls and ceilings	31

5.2 Application of mortar to concrete floors and deck	31
5.3 Application of mortar for floors, decks, and countertops over a cleavage membrane and for shower receptors	32
6.0 Installation of ceramic tile on walls, ceilings, floors, decks, and countertops	32
6.1 General	32
6.2 Installation of tile	32
7.0 Grouting of tile	33
8.0 Curing	33

A108.1B Installation of Ceramic Tile on a Cured Portland Cement Mortar Setting Bed with Dry-Set or Latex-Portland Cement Mortar — 1999 [Reaffirmed 2005 and 2010]

1.0 Installation of mortar setting beds on vertical and horizontal surfaces	34
2.0 Installation and grouting of tile	34

A108.1C Contractor’s Option: Installation of Ceramic Tile in the Wet-Set Method with Portland Cement Mortar or Installation of Ceramic Tile on a Cured Portland Cement Mortar Setting Bed with Dry-Set or Latex-Portland Cement Mortar — 1999 [Reaffirmed 2005 and 2010]

.....	35
-------	----

A108.4 Installation of Ceramic Tile with Organic Adhesives or Water Cleanable Tile-Setting Epoxy Adhesive — 2009 [Revised]

1.0 Installation of ceramic tile for walls and ceilings	36
1.1 General	36
1.2 Preparation of surfaces	36
1.3 Adhesive application	36
1.4 Setting tile on walls and ceilings	36
2.0 Installation of tile for floors and countertops	36
2.1 General	36
2.2 Preparation of surfaces	37
2.3 Adhesive application	37
2.4 Setting tile floors and countertops	37
3.0 Grouting of tile	37

A108.5 Installation of Ceramic Tile with Dry-Set Portland Cement Mortar or Latex-Portland Cement Mortar — 1999 [Reaffirmed 2005 and 2010]

1.0 Mixing mortars	38
1.1 Mixing dry-set portland cement mortars.....	38
1.2 Mixing latex-portland cement mortars	38
2.0 Installation of tile for walls and ceilings	39
2.1 General	39
2.2 Applying dry-set portland cement or latex-portland cement mortar	39
2.3 Setting glazed wall tile (semi-vitreous and non-vitreous)	39
2.4 Setting ceramic mosaic tile	39
2.5 Setting quarry tile, paver tile, and other unmounted vitreous and impervious tile	40
3.0 Installation of tile for floors	40
3.1 General	40
3.2 Applying dry-set portland cement mortar or latex-portland cement mortar	40
3.3 Setting floor tile	40
4.0 Grouting of tile	41

A108.6 Installation of Ceramic Tile with Chemical Resistant, Water Cleanable Tile-Setting and -Grouting Epoxy — 1999 [Reaffirmed 2005 and 2010]

1.0	Mixing chemical resistant water cleanable tile-setting and -grouting epoxy	42
2.0	Installation of tile	42
2.1	General	42
2.2	Setting quarry tile, paver tile, and packing house tile with epoxy	42
2.3	Setting ceramic mosaic tile with epoxy	43
2.4	Setting tile with dry-set portland cement mortar or latex-portland cement mortar	43
2.5	Setting tile with portland cement mortar.....	43
3.0	Grouting of tile with epoxy	43
4.0	Curing	44

A108.8 Installation of Ceramic Tile with Chemical Resistant Furan Resin Mortar and Grout — 1999 [Reaffirmed 2005 and 2010]

1.0	Mixing chemical resistant furan resin mortar and grout	45
2.0	Installation of tile	45
2.1	General	45
2.2	Packing house tile and corrosion resistant membrane construction	45
2.3	Setting quarry tile, paver tile, and packing house tile in epoxy and grouting with furan	46
2.4	Setting tile with dry-set portland cement mortar or latex-portland cement mortar	46
2.5	Setting tile with portland cement mortar.....	46
3.0	Grouting of tile with furan grout	46
3.1	Curing	47

A108.9 Installation of Ceramic Tile with Modified Epoxy Emulsion Mortar/Grout — 1999 [Reaffirmed 2005 and 2010]

1.0	Mixing modified epoxy emulsion mortar/grout	48
2.0	Installation of tile	48
2.1	General	48
2.2	Setting quarry tile, paver tile, and packing house tile	48
2.3	Setting ceramic mosaic tile	49
3.0	Grouting of tile with modified epoxy emulsion.....	49
4.0	Curing	49

A108.10 Installation of Grout in Tilework — 1999 [Reaffirmed 2005 and 2010]

1.0	Scope	50
2.0	Environmental conditions	50
3.0	Materials	50
3.1	Aggregate.....	50
3.2	Portland cement.....	50
3.3	Water	50
3.4	Hydrated lime	50
3.5	Grout.....	50
4.0	Site conditions and preparation	51
5.0	Mixing grout	51
5.1	General	51
5.2	Mixing standard sanded cement grout, standard unsanded cement grout, polymer modified sanded tile grout, and polymer modified unsanded tile grout.....	51
5.3	Installing grout	51
6.0	Cleaning	51
7.0	Curing	51

A108.11 Interior Installation of Cementitious Backer Units — 2010 [Revised]

1.0 General	52
1.1 Scope	52
1.2 Purpose	52
1.3 Standards	52
2.0 General installation requirements	53
2.1 Delivery, storage, and handling of materials at project site	53
2.2 Environmental conditions	53
3.0 Materials	53
3.1 Fasteners	53
3.2 Miscellaneous	53
4.0 General framing requirement	53
4.1 Wood framing requirements	53
4.2 Steel framing requirements	54
4.3 Walls	54
4.4 Subfloor	54
4.5 Ceilings	54
5.0 General applications	54
5.1 Walls	54
5.2 Floors	55
5.3 Countertops	55
5.4 Ceilings	56
5.5 Joint treatment: floors, walls, and ceilings	56
Appendix — Limitations and Explanations	57

A108.12 Installation of Ceramic Tile with EGP (Exterior Glue Plywood) Latex-Portland Cement Mortar — 1999 [Reaffirmed 2005 and 2010]

1.0 Installation of tile for floors	58
1.1 General	58
1.2 Preparation of surface	58
1.3 Mixing EGP latex-portland cement mortar	58
1.4 Applying EGP latex-portland cement mortar	58
1.5 Setting tile.....	59
2.0 Grouting of tile	59

A108.13 Installation of Load Bearing, Bonded, Waterproof Membranes for Thin-Set Ceramic Tile and Dimension Stone — 2005 [Reaffirmed 2010]

1.0 Scope	60
2.0 Application of membrane to substrate	60
3.0 Curing of membrane and/or bonding material	60
4.0 Installation of ceramic tile over cured membrane	60
5.0 Grouting of tile	60

A108.14 Installation of Paper-Faced Glass Mosaic Tile — 2010 [Revised]

1.0 Scope	61
2.0 Application of metal lath and scratch-coat to walls and ceilings	61
2.1 Metal lath.....	61
2.2 Application of lath.....	61
3.0 Scratch and leveling coat mix for walls and ceilings	62
4.0 Application of scratch coat	62
5.0 Mortar mixes	62
5.1 Mortar for walls and ceilings	62

5.2 Mortar for floors	62
5.3 Mortar and special requirements for shower receptors	62
6.0 Bond coats for walls, ceilings, floors, counters, and shower receptors	63
6.2 Alternate bond coats for walls and ceilings	63
7.0 Grout	63
7.1 Non-sanded grout	63
7.2 Sanded grout.....	63
8.0 Mortar application	64
8.1 Application of mortar to walls and ceilings	64
8.2 Application of mortar to concrete floors and decks.....	64
8.3 Application of mortar for floors, decks and countertops, over cleavage membranes and shower receptors	64
9.0 Installation of paper-faced glass mosaic tile on walls, ceilings, floors, decks, and countertops.	64
9.1 Installation of tile	64
10.0 Finishing	65
11.0 Curing	65

**A108.15 Alternate Method: Installation of Paper-Faced Glass Mosaic Tile — 2005
[Reaffirmed 2010]**

1.0 Scope	66
2.0 Substrate preparation	66
2.1 Mortar beds	66
2.2 Cementitious backer unit (CBU)	66
3.0 Bond coats	66
3.1 Setting bed adhesive application	66
4.0 Grout (back-butter) selection	67
4.2 Non-Sanded grout.....	67
4.3 Sanded grout.....	67
5.0 Sheet installation	67
6.0 Paper removal	67
7.0 Curing.....	68

**A108.16 Installation of Paper-Faced, Back-Mounted, Edge-Mounted, or Clear Film
Face-Mounted Glass Mosaic Tile — 2005 [Reaffirmed 2010]**

1.0 Scope	69
2.0 Substrate preparation	69
2.1 Mortar beds.....	69
2.2 Cementitious backerboard units (CBU's).....	69
3.0 Bond coats	69
4.0 Notch trowel selection matrix.....	70
5.0 Adhesive application	70
6.0 Installing mounted tile	70
7.0 Paper removal	70
8.0 Installation of back-mounted or edge-mounted glass mosaic tile.....	70
9.0 Installation of clear film face-mounted mosaic tile.....	71
10.0 Cure times prior to grouting	71
11.0 Cleaning prior to grouting.....	71
12.0 Grout	71
13.0 Installation of grout in tile work	71

A108.17 Installation of Crack Isolation Membranes for Thin-set Ceramic Tile and Dimension Stone — 2005 [Reaffirmed 2010]

1.0 Scope 72
2.0 Application of membrane to substrate 72
3.0 Curing of membrane and/or bonding material 72
4.0 Installation of ceramic tile over cured membrane 72
5.0 Grouting of tile 72
6.0 Soft Joints 73

A118, A136.1 — Material Specifications

A118.1 American National Standard Specifications for Dry-Set Portland Cement Mortar — 2010 [Revised]

Introduction 74
1.0 Scope 74
2.0 Definitions 74
 2.1 Dry-set mortar 74
 2.2 Ceramic tile 74
3.0 Sampling and testing procedures 75
 3.1 Sample 75
 3.2 Temperature 75
 3.3 Recording test values 75
4.0 Test for application properties of dry-set mortars 76
 4.1 Mortar preparations 76
 4.2 Initial set 76
 4.3 Final set 76
 4.4 Open time 77
 4.5 Adjustability 77
 4.6 Sag on vertical surfaces (required for mortars designated for vertical applications) 78
 4.7 Cohesion Immediately after application 78
5.0 Shear strength of mortars to ceramic tile 78
 5.1 Shear strength of mortars to glazed wall tile 78
 5.2 Shear strength of mortars to impervious ceramic mosaic tile 79
 5.3 Shear strength of mortars to quarry tile 80
 5.4 Support for shear specimens 80
 5.5 Shear strength of fast-setting mortars 80
6.0 Additional requirements for comparison with portland cement 81
 6.1 Properties of dry set mortar 81
 6.2 Additional properties of dry-set mortar 81
7.0 Package labeling 81

A118.3 American National Standard Specifications for Chemical Resistant, Water Cleanable Tile-Setting and -Grouting Epoxy and Water Cleanable Tile-Setting Epoxy Adhesive — 2009 [Revised]

1.0 Scope 82
2.0 Definitions 82
 2.1 Chemical resistant, water cleanable tile-setting and -grouting epoxy 82
 2.2 Water cleanable tile-setting epoxy adhesive 82
 2.3 Ceramic tile 82
3.0 Sampling and testing procedures 82
 3.1 Sample 82
 3.2 Temperature 82
 3.3 Recording test values 83

4.0 Preparation of epoxy	83
4.1 Mixing	83
5.0 Tests for application properties	83
5.1 Water cleanability	83
5.2 Initial setting time, service strength setting time	83
5.3 Shrinkage of the mixed components during cure	83
5.4 Sag in vertical joints	83
5.5 Bond strength to quarry tile	84
5.6 Compressive strength	84
5.7 Tensile strength of the cured material	84
5.8 Thermal shock test	84
5.9 Chemical resistance	85

A118.4 American National Standard Specifications for Latex-Portland Cement Mortar — 2010 [Revised]

Introduction	87
1.0 Scope	87
2.0 Definitions	88
2.1 Latex-portland cement mortar	88
2.2 Ceramic tile	88
3.0 Sampling and testing procedures	89
3.1 Sample	89
3.2 Temperature.....	89
3.3 Recording test values	89
4.0 Tests for Application Properties	89
4.1 Mortar Preparation	89
4.2 Initial set	89
4.3 Final set	90
4.4 Open time	90
4.5 Adjustability	91
4.6 Sag on vertical surfaces (required for mortars designated for vertical applications)	91
5.0 Shear strength to ceramic tile	92
5.1 Shear strength of mortars to glazed wall tile.....	92
5.2 Shear strength of mortars to impervious ceramic mosaic tile.....	92
5.3 Shear strength of mortars to quarry tile	93
5.4 Support for shear specimens	94
5.5 Shear strength of fast-setting mortars	94
6.0 Compressive strength	94
6.1 Preparation of specimens	94
7.0 Package labeling	94
7.1 Application	94

A118.5 American National Standard Specifications for Chemical Resistant Furan Mortars and Grouts for Tile Installation — 1999 [Reaffirmed 2005 and 2010]

1.0 Scope	96
2.0 Definitions	96
2.1 Chemical resistant furan mortars and grouts	96
2.2 Ceramic units	96
3.0 Sample and testing procedures	96
3.1 Sample	96
3.2 Test environment	96
3.3 Test values	96
4.0 Preparation of furan mortar and grout.....	96

5.0 Tests for application properties	96
5.1 Workability	96
5.2 Physical property requirements	97
5.3 Fillers	97
5.4 Chemical resistance	97
6.0 General requirements	97
TABLE 1-A118.5 — Physical Property Requirements; Minimum Values, psi. (MPa).....	98

A118.6 American National Standard Specifications for Standard Cement Grouts for Tile Installation — 2010 [Revised]

1.0 Scope	99
2.0 Definitions.....	99
2.1 Standard sanded cement grout.....	99
2.2 Sand-portland cement grout	99
2.3 Standard unsanded cement grout.....	99
3.0 Property requirements for standard sanded and unsanded cement grouts	99
4.0 Tests for properties of standard sanded and unsanded cement grouts	99
4.1 Sampling and testing procedures	99
4.2 Grout preparation	100
4.3 Linear shrinkage	100
4.4 Water absorption	101
4.5 Compressive strength	101
4.6 Tensile strength	101
4.7 Flexural strength	102
5.0 General requirements for all grouts	102
5.1 Package labeling	102

A118.7 American National Standard Specifications for High Performance Cement Grouts for Tile Installation — 2010 [Revised]

1.0 Scope	103
2.0 Definitions	103
2.1 Sand-portland cement grout	103
2.2 High performance unsanded tile grout	103
2.3 High performance sanded tile grout	103
3.0 Property requirements for high performance sanded and un-sanded cement grouts	103
3.1 Sampling and testing procedures	104
3.2 Grout preparation	104
3.3 Linear shrinkage	104
3.4 Water absorption.....	105
3.5 Compressive strength	105
3.6 Tensile strength	105
3.7 Flexural strength	106
4.0 General requirements for all grouts	106
4.1 Package labeling	106

A118.8 American National Standard Specifications for Modified Epoxy Emulsion Mortar/Grout — 1999 [Reaffirmed 2005 and 2010]

1.0 Scope	107
2.0 Definitions	107
2.1 Modified epoxy emulsion mortars/grouts	107
2.2 Ceramic tile	107
3.0 Sampling and testing procedures	107
3.1 Sample	107

3.2 Test environment	108
3.3 Test value	108
4.0 Preparation of modified epoxy emulsion mortar/grout	108
4.1 Mixing	108
5.0 Tests for application properties	108
5.1 Water cleanability	108
5.2 Initial set	108
5.3 Final set	108
5.4 Bond strength to quarry tile	108
5.5 Shear strength of mortars to glazed wall tile.....	109
5.6 Shear strength of mortars to impervious ceramic mosaic tile.....	109
5.7 Support for Shear Specimens	110
5.8 Comprehensive strength of the cured material	110
5.9 Tensile strength of the cured material	110
5.10 Flexural strength	110
5.11 Water absorption	110

A118.9 American National Standard Specifications for Test Methods and Specifications for Cementitious Backer Units — 1999 [Reaffirmed 2005 and 2010]

1.0 Scope	112
2.0 Definitions	112
2.1 Cementitious backer unit (CBU).....	112
3.0 Sampling and testing procedures	112
3.1 Sampling	112
3.2 Test environment	112
3.3 Test values.....	112
4.0 Test for physical properties	112
4.1 Physical property requirements.....	112
5.0 General requirements	112
5.1 Freeze-thaw Cycling.....	112
TABLE 1-A118.9 — Physical Property Requirements	113

A118.10 American National Standard Specifications for Load Bearing, Bonded, Waterproof Membranes for Thin-set Ceramic Tile and Dimension Stone Installation — October 2008 [Revised]

Introduction	114
1.0 Scope	114
2.0 Definitions	114
2.1 Latex-portland cement mortar	114
2.2 Ceramic tile	114
3.0 Sampling and testing procedures	115
3.1 Sampling	115
3.2 Temperature.....	115
3.3 Recording test values.....	115
4.0 Tests for material properties	115
4.1 Fungus and micro-organism resistance.....	115
4.2 Seam strength	116
4.3 Breaking strength	116
4.4 Dimensional stability.....	116
4.5 Waterproofness	116
5.0 Shear strength to ceramic tile and cement mortar	117
5.1 Preparation of mortar blocks.....	117
5.2 Preparation of shear bond assemblies.....	117

5.3 Seven day shear strength.....	117
5.4 Seven day water immersion shear strength.....	117
5.5 Four week shear strength.....	117
5.6 Twelve week shear strength.....	117
5.7 One-Hundred day water immersion shear strength.....	117
6.0 System performance.....	117

A118.11 American National Standard Specifications for EGP (Exterior Glue Plywood) Latex-Portland Cement Mortar — 1999 [Reaffirmed 2005 and 2010]

Introduction.....	118
1.0 Scope.....	118
1.1 Standards.....	118
2.0 Definitions.....	119
2.1 EGP (exterior glue plywood) latex-portland cement mortar.....	119
2.2 Ceramic tile.....	119
2.3 Plywood.....	119
3.0 Sampling and testing procedures.....	119
4.0 Shear strength to quarry tile.....	119
4.1 Preparation of specimens.....	119
4.2 Shear strength of fast-setting EGP (Exterior Glue Plywood) mortars.....	120
4.3 Support for shear specimens.....	120
5.0 Package labeling.....	120
5.1 Application.....	120

A118.12 American National Standard Specification for Crack Isolation Membranes for Thin-set Ceramic Tile and Dimension Stone Installation — October 2008 [Revised]

Introduction.....	122
1.0 Scope.....	122
2.0 Definitions.....	122
2.1 Latex portland cement mortar.....	122
2.2 Movement joints.....	123
2.3 Ceramic tile.....	123
2.4 Concrete test substrate.....	123
3.0 Sampling and testing procedures.....	124
3.1 Sample.....	124
3.2 Temperature.....	124
3.3 Recording test values.....	124
4.0 Tests for material properties.....	124
4.1 Fungus and microorganism resistance.....	124
5.0 Tests for system performance.....	125
5.1 Shear strength to ceramic tile and cement mortar.....	125
5.2 Point load test.....	126
5.3 Robinson floor test.....	126
5.4 System crack resistance test.....	126

A118.13 American National Standard Specifications for Bonded Sound Reduction Membranes for Thin-Set Ceramic Tile Installation — 2010 [New]

Introduction.....	128
1.0 Scope.....	128
2.0 Definitions.....	129
2.1 Latex portland cement mortar.....	129
2.2 Acoustical Joint.....	129

2.3 Movement joints	129
2.4 Ceramic tile	129
3.0 Sampling and testing procedures	130
3.1 Sample	130
3.2 Temperature.....	130
3.3 Recording test values.....	130
4.0 Tests for material properties.....	130
4.1 Fungus and microorganism resistance (required for products intended for use in wet areas)	130
5.0 Tests for system performance.....	131
5.1 Shear strength to ceramic tile and cement mortar.....	131
5.2 Robinson floor test	131
5.3 Sound transmission reduction test	132

**A136.1 American National Standard Specifications for Organic Adhesives for
Installation of Ceramic Tile — 2008 [Revised]**

1.0 Purpose	133
2.0 Scope	133
3.0 Classification	133
4.0 Definitions	134
4.1 Ceramic tile	134
4.2 Organic adhesive.....	134
4.3 Commercial construction; dry or limited water exposure walls	134
4.4 Light construction; dry or limited water exposure walls.....	134
4.5 Light construction; wet walls.....	134
4.6 Residential construction floors.....	134
5.0 Requirements	134
5.1 Stability in storage.....	134
5.2 Shear strength.....	134
5.3 Heat resistance.....	135
5.4 Impact test	135
5.5 Stain test	135
5.6 Resistance to mold growth	135
6.0 Sampling and testing procedures	135
6.1 Stability in storage.....	135
6.2 Shear strength	135
6.3 Stain test	138
6.4 Test for mold growth.....	139
7.0 Manufacturer’s instructions	139
7.1 Application.....	139
7.2 Storage.....	139
8.0 Toxicity and flammability	140
8.1 Labels.....	140

List of Figures

Figure 1.0 Support Jig for Bond Strength Test.....	86
Figure 2.0 Ceramic Tile Test Assembly Plate	141
Figure 3.0 Ceramic Tile Test Assembly Lower Portion.....	141
Figure 4.0 Oven	141
Figure 5.0 Open Time Adjustability Tool.....	142
Figure 6.0 Tile Application Jig	143
Figure 7.0 Application Pattern.....	143
Figure 8.0 Sag Measuring Jig.....	143
Figure 9.0 T-Bar Spacer	144
Figure 10.0 Shear Bond Test Jig	144
Figure 11.0 Tile Setting Pattern for System Crack Resistance Test.....	145
Figure 12.0 System Crack Resistance Test Apparatus	146